

**Table 3. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: Cuba, 1994–1995 cases followed-up until 1999**

Site	ICD-10	Cases included	% Absolute survival			% Relative survival			% ASRS at 5-years	
			1-year	3-year	5-year	1-year	3-year	5-year	all ages	0-74 years
Tongue	C01-02	231	59.1	35.2	31.4	60.8	38.2	36.3	37.9	38.9
Oral cavity	C03-06	260	68.8	40.6	35.8	70.7	44.2	41.6	43.3	43.7
Tonsil	C09	54	61.1	46.3	42.0	62.4	49.1	46.4	46.1	51.2
Oropharynx	C10	48	60.0	40.7	38.1	61.4	43.8	43.3	52.6	55.8
Colon	C18	1 248	58.7	39.5	35.3	60.6	43.3	41.2	40.5	46.4
Rectum	C19-20	556	70.9	47.0	42.1	72.8	50.9	48.5	47.6	50.7
Anus	C21	94	77.5	59.2	50.7	79.5	63.7	57.6	59.8	61.7
Larynx	C32	800	78.1	53.8	46.9	79.9	57.7	52.8	54.1	58.1
Breast	C50	2 169	89.7	72.3	64.6	91.0	75.6	69.7	69.4	70.4
Cervix	C53	1 221	80.7	60.2	55.7	81.3	61.6	58.1	55.8	56.3
Urinary bladder	C67	819	74.8	59.0	53.3	77.5	65.5	63.8	64.1	68.8
Hodgkin lymphoma	C81	186	72.9	56.4	50.0	73.6	57.8	51.9	55.5	57.5
Non-Hodgkin lymphoma	C82-85+C96	464	66.3	47.5	43.5	67.4	49.9	47.3	49.4	50.3

ASRS: age-standardized relative survival