Table 3. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: The Gambia, 1993–1997 cases followed-up until 1999

| Site                 | ICD-10     | Cases<br>included | % Absolute survival |        |        | % Relative survival |        |        | % ASRS   | % ASRS at 5-years |  |
|----------------------|------------|-------------------|---------------------|--------|--------|---------------------|--------|--------|----------|-------------------|--|
|                      |            |                   | 1-year              | 3-year | 5-year | 1-year              | 3-year | 5-year | all ages | 0-74 years        |  |
| Stomach              | C16        | 39                | 17.8                | 17.8   | 4.5    | 18.3                | 18.8   | 4.8    | 4.0      | 2.8               |  |
| Liver                | C22*       | 123               | 8.2                 | 3.3    | 3.3    | 8.4                 | 3.4    | 3.4    | 2.6      | 3.2               |  |
| Lung                 | C33-34     | 31                | 25.0                | 25.0   | 25.0   | 25.8                | 28.9   | 32.1   | 49.8     | 19.7              |  |
| Breast               | C50        | 61                | 29.9                | 9.3    | 9.3    | 30.3                | 9.9    | 10.3   | 9.5      | 12.5              |  |
| Cervix               | C53*       | 202               | 44.3                | 22.4   | 22.4   | 44.8                | 23.0   | 23.6   | 22.9     | 21.8              |  |
| Non-Hodgkin lymphoma | C82-85+C96 | 49                | 39.8                | 24.4   | 24.4   | 40.3                | 25.2   | 25.4   | 22.5     | 25.5              |  |

ASRS: age-standardized relative survival; \* random sample of total incident cases

