

Table 3. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: Barshi, India, 1993–2000 cases followed-up until 2003

Site	ICD-10	Cases included	% Absolute survival			% Relative survival			% ASRS at 5-years	
			1-year	3-year	5-year	1-year	3-year	5-year	all ages	0-74 years
Tongue	C01-02	47	46.8	8.5	8.5	48.5	9.5	9.9	10.4	11.8
Oral cavity	C03-06	55	45.5	30.6	21.7	46.7	32.4	23.6	22.9	26.1
Hypopharynx	C12-13	80	32.5	11.3	8.4	34.1	13.1	11.2	11.0	10.0
Oesophagus	C15	97	19.6	4.1	4.1	20.4	4.7	5.2	4.2	5.3
Stomach	C16	45	16.9	4.8	4.8	17.4	5.5	6.5	6.5	6.0
Rectum	C19-20	49	46.4	16.9	11.2	47.8	18.4	13.0	9.2	14.7
Liver	C22	47	2.1	0.0	0.0	2.2	0.0	0.0	0.0	0.0
Larynx	C32	33	53.8	19.0	12.7	56.6	22.3	16.1	12.7	15.7
Lung	C33-34	47	18.3	4.6	4.6	19.0	5.2	5.2	3.8	5.3
Other skin	C44	39	87.2	71.8	65.0	91.2	83.3	83.2	86.2	75.3
Breast	C50	124	81.5	55.6	49.2	83.3	59.6	55.3	61.4	52.7
Cervix	C53	406	70.7	38.3	32.2	72.0	40.4	35.1	32.1	35.7
Penis	C60	43	81.4	51.2	44.7	85.6	59.9	58.7	63.1	64.1
Non-Hodgkin lymphoma	C82-85+C96	36	41.7	27.8	22.2	42.5	30.0	25.4	24.1	25.9
Myeloid leukaemia	C92-94	40	37.5	27.5	13.6	37.9	28.5	14.6	19.5	19.5

ASRS: age-standardized relative survival