

Table 4a. Site-wise number of cases, 5-year absolute and relative survival by sex: Bhopal, India, 1991–1995 cases followed-up until 2000

Site	ICD-10	Cases included	Male			Female		
			% 5-year survival			% 5-year survival		
			No.	Abs	Rel	No.	Abs	Rel
Tongue	C01-02	127	112	8.9	10.3	15	13.3	14.4
Oral cavity	C03-06	172	110	30.0	34.7	62	27.4	31.5
Hypopharynx	C12-13	118	103	1.9	2.3	15	0.0	0.0
Oesophagus	C15	163	99	4.0	4.6	64	1.6	1.7
Stomach	C16	75	47	4.3	4.7	28	0.0	0.0
Colon	C18	48	31	6.5	7.4	17	5.9	6.2
Rectum	C19-20	39	21	4.8	5.4	18	11.1	11.7
Larynx	C32	60	51	5.9	6.9	9	11.1	12.6
Lung	C33-34	216	183	1.1	1.3	33	0.0	0.0
Breast	C50	261	3	66.7	75.1	258	30.2	32.3
Cervix	C53	332				332	33.1	35.4
Ovary	C56	69				69	18.8	20.1
Urinary bladder	C67	46	36	8.3	10.1	10	0.0	0.0
Non-Hodgkin lymphoma	C82-85+C96	30	25	0.0	0.0	5	60.0	61.5
Lymphoid leukaemia	C91	32	27	14.8	15.5	5	0.0	0.0
Myeloid leukaemia	C92-94	75	50	14.0	14.5	25	20.0	21.2

Abs: absolute survival; Rel: relative survival