

Table 2. Number and proportion of cases with complete/incomplete follow-up (in years) and median follow-up (in months) by site: Karunagappally, India, 1991–1997 cases followed-up until 1999

Site	ICD-10	Cases included	Complete FU		Incomplete FU: lost to FU						% with complete FU at 5 years	Median FU (in months)
			Alive/dead at end of FU		% lost to FU: years from diagnosis							
			No.	%	No.	%	< 1	1-3	3-5	> 5		
Tongue	C01-02	86	84	97.7	2	2.3	1.2	0.0	1.2	0.0	97.7	15.6
Oral cavity	C03-06	123	119	96.7	4	3.3	1.6	0.8	0.8	0.0	96.7	18.7
Hypopharynx	C12-13	33	31	93.9	2	6.1	6.1	0.0	0.0	0.0	93.9	12.6
Oesophagus	C15	106	105	99.1	1	0.9	0.9	0.0	0.0	0.0	99.1	6.5
Stomach	C16	77	77	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	5.1
Rectum	C19-20	38	38	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	32.0
Liver	C22	54	53	98.1	1	1.9	1.9	0.0	0.0	0.0	98.1	3.5
Pancreas	C25	41	41	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	4.0
Larynx	C32	46	45	97.8	1	2.2	0.0	2.2	0.0	0.0	97.8	17.6
Lung	C33-34	220	217	98.6	3	1.4	1.4	0.0	0.0	0.0	98.6	5.2
Other skin	C44	27	25	92.6	2	7.4	3.7	0.0	3.7	0.0	92.6	59.0
Breast	C50	190	188	98.9	2	1.1	0.5	0.0	0.0	0.5	99.5	36.1
Cervix	C53	170	169	99.4	1	0.6	0.0	0.6	0.0	0.0	99.4	38.5
Ovary	C56	35	35	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	20.3
Prostate	C61	32	29	90.6	3	9.4	6.3	3.1	0.0	0.0	90.6	34.1
Urinary bladder	C67	38	37	97.4	1	2.6	2.6	0.0	0.0	0.0	97.4	18.6
Brain & nervous system	C70-72	46	45	97.8	1	2.2	0.0	2.2	0.0	0.0	97.8	19.9
Thyroid	C73	74	73	98.6	1	1.4	1.4	0.0	0.0	0.0	98.6	57.0
Non-Hodgkin lymphoma	C82-85+C96	69	69	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	12.1
Multiple myeloma	C90	28	27	96.4	1	3.6	3.6	0.0	0.0	0.0	96.4	17.4
Lymphoid leukaemia	C91	38	38	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	20.3
Myeloid leukaemia	C92-94	30	30	100.0	0	0.0	0.0	0.0	0.0	0.0	100.0	2.9

FU: follow-up