

Table 3a. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: Harare, Zimbabwe, Black, 1993–1997 cases* followed-up until 1999

Site	ICD-10	Cases included	% Absolute survival			% Relative survival			% ASRS at 5-years	
			1-year	3-year	5-year	1-year	3-year	5-year	all ages	0-74 years
Oesophagus	C15	124	24.2	13.7	9.0	25.4	15.5	11.1	9.2	12.1
Stomach	C16	110	34.9	16.8	15.7	36.4	19.4	19.8	18.6	19.1
Colon	C18	30	53.3	29.7	25.7	55.4	33.1	30.8	24.9	40.6
Rectum	C19-20	43	55.3	22.6	22.6	57.3	25.3	28.6	66.3	40.3
Liver	C22	131	8.0	3.9	3.0	8.4	4.5	3.7	3.0	3.7
Larynx	C32	48	55.3	35.0	16.2	57.8	39.9	20.5	17.7	22.5
Lung	C33-34	91	14.3	9.8	9.8	14.9	11.2	12.3	16.0	10.8
Melanoma of skin	C43	45	68.9	50.8	47.1	71.4	57.1	57.7	55.6	54.1
Kaposi sarcoma	C46	150	20.7	8.3	5.0	21.0	8.7	5.4	4.4	4.4
Breast	C50	128	71.5	50.6	40.2	73.6	55.4	46.9	54.8	42.9
Cervix	C53	254	67.5	45.2	33.9	69.5	49.3	39.4	44.1	38.7
Ovary	C56	51	56.9	42.8	36.4	58.2	46.0	41.0	39.1	39.1
Prostate	C61	35	42.9	24.8		46.4	30.4			
Urinary bladder	C67	99	41.1	26.3	20.7	42.8	30.1	26.5	35.0	27.4
Eye	C69	115	83.4	71.5	58.3	85.5	76.9	65.6	69.9	69.9
Hodgkin lymphoma	C81	37	67.6	56.6	46.6	68.8	59.5	51.1	46.1	46.1
Non-Hodgkin lymphoma	C82-85+C96	89	39.8	22.8	18.3	40.9	25.0	21.0	31.4	18.0

ASRS: age-standardized relative survival; * random sample of total incident cases