

**Table 3b. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: Harare, Zimbabwe, White, 1993–1997 cases\* followed-up until 1999**

Site	ICD-10	Cases included	% Absolute survival			% Relative survival			% ASRS at 5-years	
			1-year	3-year	5-year	1-year	3-year	5-year	all ages	0-74 years
Oesophagus	C15	6	33.3	33.3	33.3	34.9	39.5	45.8	67.8	24.2
Stomach	C16	19	52.6	31.6	31.6	55.4	35.9	38.3	33.7	47.0
Colon	C18	25	56.0	20.0	12.0	60.6	25.2	17.3	13.1	20.1
Rectum	C19-20	24	83.3	37.5	21.9	87.9	44.3	28.4	40.5	34.0
Liver	C22	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Larynx	C32	23	64.4	41.4	36.6	69.4	52.0	56.0	59.3	65.8
Lung	C33-34	24	25.0	7.5	7.5	26.3	8.6	10.0	6.7	10.4
Melanoma of skin	C43	54	92.5	86.9	81.4	96.2	98.0	100.8	105.3	96.2
Kaposi sarcoma	C46	1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Breast	C50	116	91.4	75.7	61.9	95.6	87.1	79.5	81.1	74.2
Cervix	C53	9	66.7	44.4	44.4	69.4	50.6	53.2	60.9	65.8
Ovary	C56	11	63.6	36.4	18.2	66.8	43.0	25.0	17.2	9.8
Prostate	C61	28	77.8	64.0		85.3	83.8			
Urinary bladder	C67	29	79.3	72.4	53.0	86.0	93.1	83.1	82.7	67.1
Eye	C69	1	100.0	0.0	0.0	131.5	0.0	0.0	0.0	0.0
Hodgkin lymphoma	C81	2	100.0	33.3		101.1	34.3			
Non-Hodgkin lymphoma	C82-85+C96	8	62.5	37.5	37.5	65.2	43.0	51.5	31.3	17.9

ASRS: age-standardized relative survival; \* random sample of total incident cases