

**Table 3c. Comparison of 1-, 3- and 5-year absolute and relative survival and 5-year age-standardized relative survival by site: Harare, Zimbabwe, all races, 1993–1997 cases\* followed-up until 1999**

Site	ICD-10	Cases included	% Absolute survival			% Relative survival			% ASRS at 5-years	
			1-year	3-year	5-year	1-year	3-year	5-year	all ages	0-74 years
Oesophagus	C15	131	24.4	14.5	10.1	25.6	16.4	12.7	12.3	12.3
Stomach	C16	129	37.5	19.0	18.1	39.2	21.9	22.6	20.5	22.8
Colon	C18	57	54.4	26.1	18.3	57.5	30.7	23.8	18.8	28.6
Rectum	C19-20	67	65.4	28.0	21.5	68.2	32.2	27.4	45.3	30.3
Liver	C22	132	8.0	3.9	2.9	8.4	4.5	3.7	3.0	3.7
Larynx	C32	73	57.7	36.8	22.8	60.9	43.3	31.1	28.1	29.7
Lung	C33-34	116	17.2	9.3	9.3	18.0	10.7	11.8	13.6	11.4
Melanoma of skin	C43	101	82.1	70.0	65.5	85.2	78.8	80.6	82.7	77.4
Kaposi sarcoma	C46	151	20.5	8.3	5.0	20.9	8.7	5.4	4.4	4.4
Breast	C50	258	81.1	62.7	51.2	84.2	70.5	63.3	67.7	57.8
Cervix	C53	264	67.2	44.9	34.3	69.2	49.1	39.9	42.2	39.1
Ovary	C56	63	57.1	40.9	31.4	58.8	44.7	36.8	38.6	34.0
Prostate	C61	64	58.4	41.9		63.6	53.4			
Urinary bladder	C67	130	50.4	37.5	28.9	53.0	44.6	39.9	55.5	37.2
Eye	C69	116	83.6	70.8	57.7	85.8	76.7	65.5	64.5	69.9
Hodgkin lymphoma	C81	39	69.2	55.9	46.1	70.5	58.7	50.4	46.5	46.5
Non-Hodgkin lymphoma	C82-85+C96	99	41.8	23.6	19.8	43.1	26.0	23.6	41.1	26.0

ASRS: age-standardized relative survival; \* random sample of total incident cases