

Table 4a. Site-wise number of cases, 5-year absolute and relative survival by sex: Harare, Zimbabwe, 1993–1997
cases* followed-up until 1999, all races together

Site	ICD-10	Cases included	Male			Female		
			% 5-year survival			% 5-year survival		
			No.	Abs	Rel	No.	Abs	Rel
Oesophagus	C15	131	121	9.4	11.6	10	20.0	25.7
Stomach	C16	129	79	17.6	22.4	50	19.0	22.9
Colon	C18	57	47	20.2	26.5	10	10.0	12.6
Rectum	C19-20	67	25	29.4	37.8	42	16.3	20.5
Liver	C22	132	132	2.9	3.7	0		
Larynx	C32	73	64	24.6	33.9	9	12.7	15.8
Lung	C33-34	116	94	9.6	12.2	22		
Melanoma of skin	C43	101	51	61.6	78.1	50	69.9	83.4
Kaposi sarcoma	C46	151	110	5.0	5.3	41	6.5	7.3
Breast	C50	258	5	100.0	149.9	253	50.3	61.9
Cervix	C53	264				264	34.3	39.9
Ovary	C56	63				63	31.4	36.8
Prostate	C61	64	64					
Urinary bladder	C67	130	96	31.2	43.7	34	24.8	31.6
Eye	C69	116	57	48.7	55.4	59	65.2	73.6
Hodgkin lymphoma	C81	39	23	43.8	46.9	16	50.0	56.2
Non-Hodgkin lymphoma	C82-85+C96	99	73	19.0	22.9	26	21.6	24.9

Abs: absolute survival; Rel: relative survival; * random sample of total cases; * random sample of total incident cases