

**Table 4b. Site-wise number of cases and relative survival by age group: Harare, Zimbabwe, 1993–1997 cases\* followed-up until 1999, all races together**

Site	ICD-10	Cases included	Number of cases by age group					Relative survival by age group				
								% 5-year survival				
			< 45	45-54	55-64	65-74	> 75	< 45	45-54	55-64	65-74	> 75
Oesophagus	C15	131	19	32	40	25	15	21.3	10.9	11.9	10.5	12.6
Stomach	C16	129	18	22	43	33	13	23.5	25.7	27.6	15.8	
Colon	C18	57	9	11	13	15	9	12.8	21.0	37.0	31.9	0.0
Rectum	C19-20	67	13	12	22	12	8	25.7	12.0	10.6	64.9	71.0
Liver	C22	132	34	25	29	31	13	10.0		0.0	0.0	0.0
Larynx	C32	73	10	12	17	23	11	22.9	21.6	19.6	52.1	26.2
Lung	C33-34	116	14	21	35	37	9	8.3	16.5	12.9	7.7	19.4
Melanoma of skin	C43	101	29	26	24	13	9	93.0	69.2	82.5	54.3	104.9
Kaposi sarcoma	C46	151	147	4	0	0	0	5.2	0.0			
Breast	C50	258	70	69	51	37	31	51.2	62.2	52.8	66.9	122.8
Cervix	C53	264	109	67	52	27	9	41.5	40.5	24.8	49.2	76.5
Ovary	C56	63	27	12	14	7	3	30.4	39.4	56.5	0.0	64.4
Prostate	C61	64	0	2	11	31	20	0.0				
Urinary bladder	C67	130	22	22	37	28	21	34.0	15.7	22.7	61.4	88.7
Eye	C69	116	99	10	3	3	1	63.7	90.6		134.2	0.0
Hodgkin lymphoma	C81	39	35	3	1	0	0	50.4	73.9			
Non-Hodgkin lymphoma	C82-85+C96	99	63	19	12	3	2	17.7	19.8		42.1	246.1