

Table 4a. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the tongue

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Cuba	1994–1995	35.5	39.8	2.2	22.5	46.7	27.3	20.0	16.8
India									
Bhopal	1991–1995	39.4	55.9	0.0	4.7	16.0	5.6	-	0.0
Chennai	1990–1999	4.4	86.8	2.6	6.2	59.2	17.3	15.4	14.7
Karunagappally	1991–1997	30.2	47.7	10.5	11.6	48.7	15.4	0.0	47.4
Mumbai	1992–1999	30.5	58.4	7.1	4.1	58.4	12.0	0.0	29.1
Pakistan									
South Karachi	1995–1999	37.8	50.6	0.6	11.0	57.4	11.7	0.0	47.6
Singapore	1993–1997	25.8	25.0	4.2	45.0	48.4	23.3	20.0	33.1
Thailand									
Lampang	1990–2000	23.6	68.4	4.0	4.0	32.6	36.2	0.0	33.3
Songkhla	1990–1999	19.9	30.6	7.1	42.3	40.0	27.9	26.0	26.0

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4b. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the oral cavity

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Cuba	1994–1995	44.2	34.6	0.4	20.8	52.6	22.2	0.0	24.4
India									
Bhopal	1991–1995	40.7	55.8	0.6	2.9	45.7	17.7	0.0	20.0
Chennai	1990–1999	3.5	88.7	2.7	5.0	54.9	30.0	10.0	30.9
Karunagappally	1991–1997	14.6	65.9	12.2	7.3	83.0	28.5	0.0	38.2
Mumbai	1992–1999	32.6	55.8	6.9	4.6	62.5	18.0	1.1	35.5
Pakistan									
South Karachi	1995–1999	36.3	53.0	0.5	10.2	58.3	18.6	-	18.3
Singapore	1993–1997	28.1	22.2	1.5	48.1	52.2	26.3	0.0	28.9
Thailand									
Lampang	1990–2000	21.2	66.1	4.2	8.5	35.6	30.7	0.0	40.0

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4c. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the larynx

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Cuba	1994–1995	51.3	23.0	1.3	24.5	65.5	34.5	10.0	22.2
India									
Chennai	1990–1999	6.6	85.5	3.6	4.3	44.3	30.3	-	34.1
Karunagappally	1991–1997	30.4	45.7	13.0	10.9	55.6	19.0	0.0	-
Mumbai	1992–1999	33.2	51.1	9.7	6.1	57.1	16.5	0.5	23.2
Singapore	1993–1997	35.7	12.2	2.3	49.8	63.6	28.6	14.3	41.8
Thailand									
Chiang Mai	1993–1997	11.8	82.4	3.8	2.0	52.4	21.4	16.7	0.0
Lampang	1990–2000	17.3	61.7	7.4	13.6	53.4	31.6	25.0	45.5
Songkhla	1990–1999	21.0	39.9	8.7	30.4	59.5	31.9	42.4	21.9
Turkey									
Izmir	1995–1997	32.1	23.0	7.5	37.4	74.8	45.1	47.6	65.8

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4d. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the colon

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Cuba	1994–1995	28.0	20.3	9.6	42.1	64.7	45.0	20.5	14.6
India									
Bhopal	1991–1995	37.5	27.1	18.8	16.7	11.1	7.7	0.0	0.0
Mumbai	1992–1999	38.7	26.7	25.9	8.7	51.8	19.1	1.6	27.5
Philippines									
Manila	1994–1995	33.8	33.1	17.9	15.2	68.9	34.3	0.0	29.2
Singapore	1993–1997	27.0	22.4	18.8	31.9	66.5	43.2	6.6	40.6
Thailand									
Chiang Mai	1993–1997	1.3	65.8	31.6	1.3	66.7	40.8	6.0	0.0
Lampang	1990–2000	8.4	44.2	33.7	13.7	60.0	56.8	2.1	37.5
Turkey									
Izmir	1995–1997	8.9	43.7	19.9	27.5	59.8	54.1	20.8	43.0

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4e. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the rectum

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Cuba	1994–1995	38.8	25.4	7.2	28.6	58.5	38.0	25.0	27.7
India									
Bhopal	1991–1995	41.0	33.3	15.4	10.3	12.5	7.7	0.0	0.0
Mumbai	1992–1999	46.2	26.0	20.3	7.5	46.5	19.8	1.6	32.4
Philippines									
Manila	1994–1995	34.0	27.2	15.5	23.3	56.0	26.4	-	23.1
Singapore	1993–1997	30.2	27.0	16.8	25.9	61.6	44.9	6.6	41.9
Thailand									
Chiang Mai	1993–1997	3.7	74.2	20.0	2.1	71.4	31.2	5.9	..
Lampang	1990–2000	9.2	59.8	17.7	13.3	42.3	41.8	4.5	48.5
Turkey									
Izmir	1995–1997	14.2	40.8	21.2	23.8	51.8	50.3	20.4	49.2

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4f. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the breast

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
China									
Hong Kong SAR	1996–2001	12.2	34.6	1.5	51.7	94.9	79.1	31.8	82.7
Costa Rica	1995–2000	31.2	34.0	20.3	14.5	89.9	77.1	31.0	29.9
Cuba	1994–1995	43.5	33.3	4.9	18.3	81.6	58.9	30.2	43.3
India									
Bhopal	1991–1995	42.9	44.1	5.7	7.3	41.1	22.6	0.0	42.1
Chennai	1990–1999	1.7	67.9	13.0	17.5	70.8	48.9	12.3	46.6
Karunagappally	1991–1997	18.4	53.2	12.1	16.3	78.6	43.1	7.8	53.4
Mumbai	1992–1999	39.6	41.5	12.8	6.2	74.2	32.8	3.8	48.1
Philippines									
Manila	1994–1995	31.6	46.5	12.8	9.2	73.5	42.0	3.2	42.2
Rizal	1996–1997	17.5	43.7	9.9	28.9	65.3	35.0	11.9	34.8
Saudi Arabia									
Riyadh	1994–1996	30.9	32.6	20.8	15.7	70.4	55.7	56.7	62.3
Singapore	1993–1997	30.6	22.5	4.8	42.1	85.9	66.3	18.8	71.2
Thailand									
Chiang Mai	1993–1997	14.3	70.0	11.9	3.8	79.3	63.7	24.8	49.4
Khon Kaen	1993–1997	5.3	41.6	21.1	32.0	82.3	66.9	32.8	67.9
Lampang	1990–2000	22.5	52.9	14.2	10.4	84.1	65.2	8.2	82.5
Songkhla	1990–1999	17.1	34.7	14.4	33.8	82.8	66.2	27.0	59.6
Turkey									
Izmir	1995–1997	20.5	34.3	4.7	40.5	85.5	65.4	35.1	72.3

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4g. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the cervix

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
Costa Rica	1995–2000	22.4	40.5	4.0	33.1	89.5	43.1	11.3	43.2
Cuba	1994–1995	41.3	34.3	1.7	22.7	73.9	41.5	33.3	45.0
India									
Bhopal	1991–1995	28.3	70.5	0.3	0.9	60.6	22.7	0.0	0.0
Chennai	1990–1999	6.4	86.0	3.7	3.9	69.1	55.3	12.4	43.4
Karunagappally	1991–1997	15.3	60.6	8.8	15.3	72.1	43.5	23.1	44.3
Mumbai	1992–1999	27.9	56.8	8.6	6.7	68.3	35.7	3.4	40.7
Philippines									
Manila	1994–1995	21.5	30.5	10.3	37.7	63.1	29.9	7.1	28.2
Singapore	1993–1997	45.5	5.7	5.0	43.8	69.7	48.0	20.4	55.7
Thailand									
Chiang Mai	1993–1997	26.1	69.7	3.7	0.5	81.2	52.7	12.2	75.0
Khon Kaen	1993–1997	17.3	53.8	6.3	22.6	65.1	48.7	30.6	57.0
Lampang	1990–2000	31.2	53.9	5.8	9.2	78.7	57.9	6.5	70.6
Songkhla	1990–1999	22.3	54.6	5.8	17.3	81.2	56.3	15.4	61.3
Turkey									
Izmir	1995–1997	41.8	41.8	6.1	23.2	67.7	54.6	9.3	69.1

L: localized; R: regional; D: distant metastasis; U: unknown

Table 4h. Frequency and 5-year absolute survival by clinical extent of disease for all registries: cancer of the ovary

Country/ registry	Period of registration	Frequency (%)				5-year absolute survival (%)			
		L	R	D	U	L	R	D	U
India									
Bhopal	1991–1995	66.7	8.7	13.0	11.6	21.7	33.3	0.0	12.5
Chennai	1990–1999	1.5	62.5	19.4	16.6	73.4	30.8	6.0	38.1
Karunagappally	1991–1997	17.1	11.4	54.3	17.1	100.0	0.0	8.8	44.4
Mumbai	1992–1999	28.6	11.4	49.9	10.1	59.7	27.5	3.0	26.4
Singapore	1993–1997	45.7	3.9	19.8	30.6	83.3	35.4	24.5	55.2
Thailand									
Chiang Mai	1993–1997	24.1	43.8	30.2	1.9	88.2	48.3	16.9	0.0
Khon Kaen	1993–1997	29.6	21.4	29.6	19.4	88.8	60.6	17.5	66.6
Lampang	1990–2000	22.8	34.7	30.1	12.4	86.2	56.6	0.0	75.0
Songkhla	1990–1999	24.3	28.9	12.7	34.1	92.1	30.0	19.8	43.0
Turkey									
Izmir	1995–1997	22.6	5.2	47.4	24.8	89.4	51.1	33.6	62.3

L: localized; R: regional; D: distant metastasis; U: unknown