

Table 4a. Site-wise number of cases, 5-year absolute and relative survival by sex: Barshi, India, 1993–2000 cases followed-up until 2003

Site	ICD-10	Cases included	Male			Female		
			% 5-year survival			% 5-year survival		
			No.	Abs	Rel	No.	Abs	Rel
Tongue	C01-02	47	33	3.0	3.7	14	21.4	23.4
Oral cavity	C03-06	55	35	20.1	22.0	20	24.2	26.1
Hypopharynx	C12-13	80	71	9.7	13.0	9	0.0	0.0
Oesophagus	C15	97	57	0.0	0.0	40	10.0	12.8
Stomach	C16	45	28	0.0	0.0	17	11.8	16.0
Rectum	C19-20	49	32	9.5	11.3	17	14.1	15.7
Liver	C22	47	44	0.0	0.0	3	0.0	0.0
Larynx	C32	33	28	15.1	19.0	5	0.0	0.0
Lung	C33-34	47	31	3.6	3.9	16		
Other skin	C44	39	23	60.9	80.7	16	72.3	88.7
Breast	C50	124	3	33.3	50.4	121	49.6	55.4
Cervix	C53	406				406	32.2	35.1
Penis	C60	43	43	44.7	58.7			
Non-Hodgkin lymphoma	C82-85+C96	36	26	17.9	20.8	10	30.0	33.0
Myeloid leukaemia	C92-94	40	28	12.9	14.0	12	16.7	17.2

*Abs: absolute survival; Rel: relative survival*