

Table 5. Proportion of cases and 5-year absolute survival by extent of disease and site: Mumbai, India, 1992–1999

Site	ICD-10	Cases included	% of cases by extent of disease				% 5-year absolute survival			
			Localized	Regional	Dist. met.	Unknown	Localized	Regional	Dist. met.	Unknown
Lip	C00	161	51.6	36.6	4.3	7.5	81.4	22.8	0.0	73.4
Tongue	C01-02	2 106	30.5	58.4	7.1	4.1	58.4	12.0	0.0	29.1
Oral cavity	C03-06	2 769	32.6	55.8	6.9	4.6	62.5	18.0	1.1	35.5
Colon	C18	1 578	38.7	26.7	25.9	8.7	51.8	19.1	1.6	27.5
Rectum	C19-20	1 217	46.2	26.0	20.3	7.5	46.5	19.8	1.6	32.4
Larynx	C32	1 880	33.2	51.1	9.7	6.1	57.1	16.5	0.5	23.2
Breast	C50	7 294	39.6	41.5	12.8	6.2	74.2	32.8	3.8	48.1
Cervix	C53	4 436	27.9	56.8	8.6	6.7	68.3	35.7	2.4	40.7
Ovary	C56	2 029	28.6	11.4	49.9	10.1	59.7	27.5	3.0	26.4

*Dis. met.:* distant metastasis