

**Table 2. Number and proportion (%) of patients and deaths and comparison of 3-year survival with and without adjustment for loss to follow-up by patient characteristics among female breast cancer patients diagnosed in Tata Memorial Hospital, Mumbai, India, in 1985 and followed through 1988**

Patient characteristics	Number of patients	Deaths		3-year survival %	
		Number	% <sup>a</sup>	Actuarial assumption	Loss-adjusted by logistic regression*
<b>Age at diagnosis</b>					
≤ 44 years	101	34	34	60.1	51.5
45–54	117	42	36	56.7	48.7
55–64	77	20	26	67.7	62.3
65+ years	41	12	29	65.4	58.5
<b>Residential status</b> (Mumbai city)					
Residents	169	60	35	59.4	56.2
Non-residents	167	48	29	63.2	54.4
<b>Stage of disease</b> (TNM summary)					
I	29	2	9	92.2	93.2
II	160	36	22	74.4	71.2
III	126	55	44	41.2	31.8
IV	21	15	71	0.0	0.0
<b>Treatment</b>					
With chemotherapy	194	39	20	76.6	71.2
Without chemotherapy	142	69	48	38.1	28.2

<sup>a</sup> Percentage of total cases in respective categories;

\* Adjusted for other factors in the table.