

Table 4a. Site-wise number of cases, 5-year absolute and relative survival by sex: Qidong, China, 1992–2000 cases followed-up until 2000

Site	ICD-10	Cases included	Male			Female		
			% 5-year survival			% 5-year survival		
			No.	Abs	Rel	No.	Abs	Rel
Oral cavity	C03-06	35	21	33.8	35.6	14	29.3	36.6
Nasopharynx	C11	164	114	24.4	26.0	50	40.2	42.6
Oesophagus	C15	942	645	4.0	4.9	297	3.9	4.9
Stomach	C16	3 254	2 038	16.0	19.0	1 216	14.4	16.3
Small intestine	C17	35	23	5.1	6.5	12		
Colon	C18	315	136	31.2	37.1	179	34.1	40.0
Rectum	C19-20	1 010	508	25.2	29.6	502	28.4	33.0
Liver	C22	7 090	5 338	5.1	5.5	1 752	5.3	5.7
Gall bladder	C23-24	100	54	10.5	11.5	46	15.0	18.1
Pancreas	C25	661	361	6.6	8.0	300	6.3	7.9
Nose/Sinuses	C30-31	45	35	16.4	21.1	10	58.5	63.6
Larynx	C32	47	42	46.5	59.5	5	0.0	0.0
Lung	C33-34	3 281	2 459	5.0	6.1	822	7.3	8.8
Other thoracic organs	C37-38	38	27	10.8	11.8	11		
Bone	C40-41	149	101	15.5	16.9	48	8.1	10.0
Melanoma of skin	C43	36	16	21.3	24.7	20	9.9	11.7
Other skin	C44	120	57	22.4	29.5	63	29.2	43.8
Connective tissue	C47+C49	32	15	35.2	38.6	17	20.8	23.5
Breast	C50	651	5	100.0	114.1	646	55.7	58.9
Cervix	C53	144				144	36.5	39.4
Corpus uteri	C54	69				69	54.9	59.3
Uterus unspecified	C55	41				41	33.6	35.7
Ovary	C56	101				101	32.7	36.1
Prostate	C61	55	55	25.1	32.5			
Kidney	C64	72	41	17.6	19.5	31	33.0	35.7
Urinary bladder	C67	366	287	32.5	42.9	79	33.8	42.7
Brain & nervous system	C70-72	413	237	6.4	6.7	176	12.3	12.7
Thyroid	C73	48	14	38.5	41.9	34	87.3	93.2
Non-Hodgkin lymphoma	C82-85+C96	312	179	13.2	14.9	133	11.0	12.5
Multiple myeloma	C90	137	72	10.7	14.1	65	7.6	8.4
Lymphoid leukaemia	C91	81	44	3.5	3.6	37	8.6	9.3
Myeloid leukaemia	C92-94	216	118	7.3	8.0	98	2.7	2.8
Leukaemia unspecified	C95	107	58	5.5	6.0	49	7.9	8.2

*Abs: absolute survival; Rel: relative survival*